

TRI-CITY VINYL, INC.

640 E. Morley Drive

P.O. Box 3301

Saginaw, MI 48605

PHONE: 800-334-9949

Fax: 800-968-2720



Ordered by: _____ Acct.# _____

Company Name: _____

Address: _____

City: _____ State: _____


Zip: _____ Phone: _____

Shipping Instruction: _____ Date: _____

Warranty # _____ Size: _____ Price: _____
 Millage: _____ Type of Corner: _____ P.O.# _____
 Wall Material: _____ Bead: _____ Mark Box: _____
 Bottom Material: _____ Overlap: _____

STANDING AT SHALLOW LOOKING TOWARDS DEEP END


Width (A): _____ Rectangle: _____
 Length (B): _____ Oval: _____
 Depth (C): _____ Grecian: _____ Grecian Hopper: _____
 Wall Height (D): _____ Square Hopper: _____
 Back Slope (E): _____ Long Wall: _____
 Hopper Length (F): _____ End Wall: _____
 Transition Slope (G): _____ Wedge: _____
 Shallow End (H): _____ Octagon: _____
 Side Slope (Right, K): _____ Constant Slope: _____
 Side Slope (Left, L): _____ Other: _____
 Hopper Width (M): _____ Steps: _____
 Safety Ledge (N): _____ Comments: _____
 Shallow End Depth (P): _____ (If Needed) _____
 Size of Cove (Q): _____ (If Needed) _____



FOR STEPS, TRUE L, AND LAZY L POOLS USE BACK OF FORM

Ordered by: _____
 Company Name: _____
 P.O.# _____
 Mark Box: _____
 Warranty # _____


COMMENTS: _____




Length of Steps: _____
 Width of Steps: _____
 Type of Stair Corner: _____
 Do You Require Loops? _____
 Straight Set Back (Size)? _____
 Angled Set Back (Size)? _____

Risers R1 _____
 R2 _____
 R3 _____
 R4 _____
 Treads T1 _____
 T2 _____
 T3 _____

STANDING AT SHALLOW LOOKING TOWARDS DEEP END









STANDING AT SHALLOW LOOKING TOWARDS DEEP END



Fax: 800-968-2720

Steps Measurements Form



Tri-City Vinyl, Inc.
 640 East Morley Drive
 Saginaw, MI 48601
 Phone: 800-334-9949
 Fax: 800-968-2720

Type and size of stair corner: _____

Do you require loops? (yes or no) _____

R1: _____ R2: _____ R3: _____ R4: _____

T1: _____ T2: _____ T3: _____

TRI-CITY VINYL

640 E. Morley Drive
Saginaw, MI 48605
800-334-9949
Fax: 800-968-2720



INSTRUCTIONS For A-B POINT SYSTEM

STEP # (1)

Position 2 stakes at 10' apart and at least 5' away from the pool.

P.S. If possible, leaves stakes in for further measurements if needed.

STEP # (2)

NOTE: Measurements AA, BB, CC, & DD must be taken at specific points as shown on the diagram. Then proceed to record A and B measurements around the perimeter of the pool every 2' until finished.

STEP # (3)

Fill in slope, hopper width, shallow end width, and total perimeter.



ALL MEASUREMENTS MUST BE IN FEET & INCHES.

	A	B
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

	A	B
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		

	A	B
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		

TRI-CITY VINYL
 640 E. Morley Drive
 Saginaw, MI 48601
 800-334-9949
 Fax: 800-968-2720



	A	B
AA		
BB		
CC		
DD		

Longest Width & Length of Pool

Mil. Thickness _____

Wall Color _____

Bottom Color _____

Wall Height _____

Total Depth _____

Perimeter

TRI-CITY VINYL, INC.

640 E. Morley Drive
 P.O. Box 3301
 Saginaw, MI 48605
 Phone: 800-334-9949
 Fax: 800-968-2720

Ordered by: _____ Date: _____
 Company Name: _____ Acct.# _____
 Address: _____
 City: _____ State: _____
 Zip: _____ Phone: _____
 Shipping Instruction: _____

Order # _____ Due Date: _____ Order: _____ (X)
 PO # _____ Price: _____ Quote Only: _____ (X)
 Mark Box: _____

Shape of Pool

(Drawing Needed)

Rectangle		(X)
Oval		(X)
Grecian		(X)

True L		(X)
Lazy L		(X)
Freeform		(X)



CP-2 Coping w/clips & screws		
	Feet	Inches
Width		
Length		
Corner		
Color (White / Grey)		
Powder Coat (Yes / No)		

VM3 Coping w/screws		
	Feet	Inches
Width		
Length		
Corner		
Color	White	
Powder Coat	Yes	

HM-1 Coping w/screws		
	Feet	Inches
Width		
Length		
Corner		
Color - Painted	White	


HM-3 Coping w/screws		
	Feet	Inches
Width		
Length		
Corner		
Color	Grey	
Powder Coat	Yes	

Touch Up Paint, 12oz Aerosol		
	Amount	
White		
Grey		


Bead Lock, 120' per roll		
	White	Grey
# of Rolls		

Individual Piece Orders				Notes
Type of Coping: _____				
	Ft / In / Ct	Description (Rev. 270, ect.)	Amount	
Straight pcs.	8' or 12' pcs.			
Corner				
Corner				
Corner				
Corner				
Clips	2" wide			
Screws	110 per box			


90° Radius Bend




90° Single Weld




90° Diagonal Double Weld




135° Radius Bend




135° Single Weld





225° Single Weld



270° Single Weld



270° Diagonal Double Weld



Straight Line = 180°
Full Circle = 360°

Note: All angles are measured from the water side

Common 90° Radius Corners

